

Date: Tuesday, 9/25/2007 10:11:40 AM
User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: SADDLE FITTING, AFT (OUTBOARD/INBOARD)
Job Number	: 34840		
Estimate Number	: 10534		
P.O. Number	: <u>N/A</u>	Part Number	: D2574
This Issue	: 9/25/2007	S.O. No.	: <u>N/A</u>
Prsht Rev.	: NC	Drawing Number	: D2574 REV E
First Issue	: <u>N/A</u>	Project Number	: N/A
Previous Run	: 34815	Drawing Revision	: E
		Material	: <u>N/A</u>
Written By	: <u>[Signature]</u>	Due Date	: 10/10/2007
Checked & Approved By	: <u>[Signature]</u>	Qty:	6 Um: Each
Comment	: Est Rev: As Per RevE 06-01-27 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description:
---------	-----------------------	--------------

1.0	D6101005	7075-T7351 8.25X5.0X2.5
-----	----------	-------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s)
7075-T7351 8.25X5.0X2.5
Make from D6101-005 billet for D2574
Ensure that grain is along 5.00" length
Batch No: B 31388

JS 07/10/16 (6)

2.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1
Program Batch No. 834840 Double check by: JE

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets
2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
4-Deburr and remove all machining marks
5-Tumble to remove sharp edges.

JS 07/10/16 (6)

3.0	MILLING CONV.	CONVENTIONAL MILLING MACHINE
-----	---------------	------------------------------



Comment: CONVENTIONAL MILLING MACHINE
Machine keyway as per dwg D2573 & D2574

JS 07/10/16

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

JS 07/10/16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☐ No ☒ DQA: R Date: 01/10/24
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 9/25/2007 10:11:40 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Job Number: 34840

Part Number: D2574

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

5.1 07/10/19

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

M. L.

07/10/22

(6X)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

m 105068

FL 07/10/23 (6)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

07/10/23 (6)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: ST433

AS

07/10/24

LC

(6)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/10/24

Job Completion



07-10-24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	34840
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.438	0.443	DT8682	.442	.440	.440	.440		
B	1.745	1.755		1.752	1.752	1.752	1.750		
C	3.495	3.505		3.502	3.502	3.501	3.500		
D	1.745	1.755		1.752	1.752	1.752	1.750		
E	7.990	8.010		8.000	8.000	8.003	8.001		
F	0.490	0.510		.502	.502	.501	.501		
G	0.257	0.262	DT8683	.257	.257	.257	.257		
H	0.375	0.380	DT8684	.377	.377	.377	.377		
I	0.490	0.510		.500	.500	.501	.500		
J	1.174	1.184		1.177	1.177	1.177	1.177		
K	0.558	0.578		.568	.568	.568	.568		
L	1.174	1.184		1.177	1.177	1.177	1.177		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.125	4.125	4.125		
P	0.115	0.135		.126	.126	.126	.126		
Q	0.115	0.135		.125	.125	.125	.125		
R	0.240	0.260		.250	.250	.250	.250		
S	0.115	0.135		.125	.125	.125	.125		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.240	.240	.240	.240		
W	0.115	0.135		.135	.135	.135	.135		
X	0.307	0.312		.310	.310	.310	.310		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.370	.370	.370	.370		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.632	.632	.632	.632		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.250	.250	.250	.250		
AE	1.500	1.520		1.511	1.511	1.511	1.511		
AF	0.115	0.135		.125	.125	.125	.125		
AG	0.240	0.280		.250	.250	.250	.250		
AH	0.240	0.260		.250	.250	.250	.250		
AI	2.000	2.020		2.010	2.010	2.010	2.010		
AJ	0.023	0.043		.043	.043	.043	.043		
Accept/Reject									

Measured by:	RF
Date:	07/10/16

Audited by:	JL
Date:	07/10/19

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD		Work Order:	34840
Description: Saddle, Aft Inboard		Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	5	6	3	4	By	Date
A	0.438	0.443	DT8682	.440	.440				
B	1.745	1.755		1.749	1.749				
C	3.495	3.505		3.501	3.501				
D	1.745	1.755		1.749	1.749				
E	7.990	8.010		8.001	8.001				
F	0.490	0.510		.500	.500				
G	0.257	0.262	DT8683	.260	.259				
H	0.375	0.380	DT8684	.378	.378				
I	0.490	0.510		.506	.506				
J	1.174	1.184		1.177	1.177				
K	0.558	0.578		.568	.568				
L	1.174	1.184		1.177	1.177				
M	1.365	1.375		1.367	1.367				
N	2.495	2.505		2.502	2.500				
O	4.119	4.129		4.126	4.124				
P	0.115	0.135		.128	.128				
Q	0.115	0.135		.125	.125				
R	0.240	0.260		.256	.250				
S	0.115	0.135		.125	.125				
T	0.178	0.198		.188	.188				
U	3.210	3.250		3.230	3.230				
V	0.230	0.250		.240	.240				
W	0.115	0.135		.125	.125				
X	0.307	0.312		.310	.310				
Y	0.760	0.765		.765	.765				
Z	0.352	0.372		.370	.370				
AA	0.470	0.530		.500	.500				
AB	0.615	0.635		.625	.625				
AC	0.053	0.073		.063	.063				
AD	0.240	0.260		.250	.250				
AE	1.500	1.520		1.511	1.511				
AF	0.115	0.135		.125	.125				
AG	0.240	0.280		.280	.280				
AH	0.240	0.260		.250	.250				
AI	2.000	2.020		2.010	2.010				
AJ	0.023	0.043		.043	.043				
Accept/Reject									



Measured by:	<i>[Signature]</i>
Date:	07/10/17

Audited by:	<i>[Signature]</i>
Date:	07/10/17

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	<i>[Signature]</i>

RELEASED


05.12.06




NOTES

MATERIAL: 7075-T7351 (00-A-250/12)
(REF DART SPEC. D6102-003)
FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER
DART QSI 005 4.3
BREAK ALL SHARP EDGES 0.010 TO 0.020
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


- 1 ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX DEPTH OF 0.010
- 2 CHAMFER 0.063" x 45° AROUND THIS SURFACE (TYPICAL 2 PLACES)
- 3 CHAMFER 0.063 x 45° ALL AROUND
- 4 CHAMFER 0.033 x 45° (SEE DETAIL C) E



SECTION A-A



VIEW B-B



DETAIL C
SCALE 2:1

E	05.07.13	ADD CHAMFER ON RIDGE NOTE 4
D	02.09.06	ADD RIDGES; TIGHTEN TOLERANCES
C	99.10.22	INCORP. DEO 9123/9079/9102 ADD DIMENSIONS PER TSR A1177
B	96.12.02	ADD GRAIN DIR., 0.438 WAS 0.425
A	96.09.16	NEW ISSUE

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE LTD.

DESIGN DS	DRAWN BY PH	DART DART AEROSPACE LTD. WARRICKSURY, OXFORD, ENGLAND	REV. E
CHECKED H	APPROVED H	DRAWING NO. D2574	SHEET 1 OF 1
DATE 05.07.13	TITLE INNER AFT SADDLE	SCALE 2:3	

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 34840

